



DMR Association Interoperability Certificate  
Document **10022**  
[www.dmrassociation.org](http://www.dmrassociation.org)

Note to readers: This DMR Association Interoperability Certificate documents that the Selex ES SpA product as detailed in Table A below:

| TABLE A: DMR Equipment Tested |                |         |
|-------------------------------|----------------|---------|
| Manufacturer                  | Selex ES SpA   |         |
| Model                         | ECOS-D RBS4000 |         |
| Firmware                      | ID             | Version |
|                               | ECOS-D RBS4000 | 1.0.3.1 |

has successfully passed the DMR Association Tier III mandatory interoperability tests outlined in the DMR Association test specification document: Interoperability Testing for DMR Tier III Systems, Final 1.0, June 2012 on 29 January 2014 with the RADIODATA GmbH product referenced in Table B below.

| TABLE B: DMR Equipment Tested |                               |         |
|-------------------------------|-------------------------------|---------|
| Manufacturer                  | RADIODATA GmbH                |         |
| Model                         | DIPRA MS 2217D (Mobile Radio) |         |
| Firmware                      | ID                            | Version |
|                               | DIPRA MS 2217D                | 2.05-01 |

The DMR Association hereby declares that the product in Table A when tested with the product in Table B passed interoperability test cases as set out in the attached summary test report document *2013-007 Tier 3 Selex ES SYS and RadioData MS Summary*. The DMR Association hereby declares that the testing took place according to the procedures and in a laboratory meeting the criteria set out in the DMR Association document: *Interoperability Laboratory Recognition Process and Test Session Procedures, V1.03, October 2012*

All products belonging to the same model classes, meaning equipment that Selex ES / RADIODATA GmbH have determined, through engineering analysis or internal functional testing, to be functionally equivalent to the products in Table A and Table B, may be declared interoperable by Selex ES and RADIODATA GmbH.

Issue Date: **9 May 2014**

Chairman of the DMR Association Technical Working Group:

## **LIABILITY DISCLAIMER**

The DMR Association declares that the IOP validation process has been carried out with the best possible endeavor in order to ensure the most reliable results. Nevertheless, the DMR Association takes no responsibility for, and shall have no liability as a result of damages, losses, or injuries of any kind that may be caused by non-conformance\* of products that are awarded a DMR Interoperability Certificate.

Individual manufacturers are responsible for ensuring that the behavior of any equipment for which conformance is claimed is identical to that of the equipment that passed the DMR Association interoperability certification process.

\*to the functions listed in the certificates