



DMR Association Interoperability Certificate
Document 10050
www.dmrassociation.org

Note to readers: This DMR Association Interoperability Certificate documents that the Radio Activity product as detailed in Table A below:

TABLE A: DMR Equipment Tested		
Manufacturer	Radio Activity	
Model	KA-450	
Firmware	ID	Version
	TRX: 1.6.1.0, DSP 4.34	TRX: 1.6.1.0, DSP 4.34

has successfully passed the DMR Association Tier II mandatory and optional interoperability tests outlined in the DMR Association test specification documents: Interoperability_Testing_For_DMR_Tier_2_Systems_Mandatory_Features_V1.0.4 and Interoperability_Testing_For_DMR_Tier_2_Systems_Optional_Features_V1.0.4 on 11 July 2016 with the JVCKENWOOD product referenced in Table B below.

TABLE B: DMR Equipment Tested		
Manufacturer	JVCKENWOOD	
Model	TK-D340	
Firmware	ID	Version
	1.20	1.20

The DMR Association hereby declares that the product in Table A when tested with the product in Table B passed interoperability test cases as set out in the attached summary test report document: 2016-008 Tier 2 RadioActivity SYS KA-450 and Kenwood MS TK-D340 - Test Summary.

The DMR Association hereby declares that the testing took place according to the procedures and in a laboratory meeting the criteria set out in the DMR Association document: *Interoperability Laboratory Recognition Process and Test Session Procedures V2.01 – May 2015*

All products belonging to the same model classes, meaning equipment that Radio Activity / JVCKENWOOD have determined, through engineering analysis or internal functional testing, to be functionally equivalent to the products in Table A and Table B, may be declared interoperable by Radio Activity and JVCKENWOOD.

Issue Date: **13 November 2017**

Chairman of the DMR Association Technical Working Group:

T. M. Johnson, TWG Chair

LIABILITY DISCLAIMER

The DMR Association declares that the IOP validation process has been carried out with the best possible endeavor in order to ensure the most reliable results. Nevertheless, the DMR Association takes no responsibility for, and shall have no liability as a result of damages, losses, or injuries of any kind that may be caused by non-conformance* of products that are awarded a DMR Interoperability Certificate.

Individual manufacturers are responsible for ensuring that the behavior of any equipment for which conformance is claimed is identical to that of the equipment that passed the DMR Association interoperability certification process.

*to the functions listed in the certificates