



DMR Association Interoperability Certificate
Document **10028**
www.dmrassociation.org

Note to readers: This DMR Association Interoperability Certificate documents that the Selex ES SpA-Base Station product as detailed in Table A below:

TABLE A: DMR Equipment Tested		
Manufacturer	Selex ES SpA-Base Station	
Model	ECOS-D RGW4000	
Firmware	ID	Version
	ECOS-D RBS 4000	1.2.0.0

has successfully passed the DMR Association Tier 2 mandatory and optional interoperability tests outlined in the DMR Association test specification documents: *Interoperability Testing for DMR Tier 2 Systems – Mandatory Features V 1.03* and *Interoperability Testing for DMR Tier 2 Systems – Optional Features V 1.03* on 8th April 2014 with the Sepura plc – Mobile Stations product referenced in Table B below.

TABLE B: DMR Equipment Tested		
Manufacturer	Sepura plc – Mobile Stations	
Model	SBP8040	
Firmware	ID	Version
	R3.18.062.U2HP	R3.18.062.U2HP

The DMR Association hereby declares that the product in Table A when tested with the product in Table B passed interoperability test cases as set out in the attached summary test report document *2014-003 Tier 2 Selex SYS and Sepura MS Summary Report*.

The DMR Association hereby declares that the testing took place according to the procedures and in a laboratory meeting the criteria set out in the DMR Association document: *Interoperability Laboratory Recognition Process and Test Session Procedures, V2.0, March 2014*.

All products belonging to the same model classes, meaning equipment that Selex ES SpA-Base Station / Sepura plc – Mobile Stations have determined, through engineering analysis or internal functional testing, to be functionally equivalent to the products in Table A and Table B, may be declared interoperable by Selex ES SpA-Base Station and Sepura plc – Mobile Stations.

Issue Date: **4th June 2014**

Chairman of the DMR Association Technical Working Group:

LIABILITY DISCLAIMER

The DMR Association declares that the IOP validation process has been carried out with the best possible endeavor in order to ensure the most reliable results. Nevertheless, the DMR Association takes no responsibility for, and shall have no liability as a result of damages, losses, or injuries of any kind that may be caused by non-conformance* of products that are awarded a DMR Interoperability Certificate.

Individual manufacturers are responsible for ensuring that the behavior of any equipment for which conformance is claimed is identical to that of the equipment that passed the DMR Association interoperability certification process.

*to the functions listed in the certificates